

12455-80  
 FRONT OF PAIL  
 Printed at 100% size on this 11" x 8.5" sheet  
 Page 1 of 2

**ALL-WEATHER BLOX™**



Picture not representative of Bait Placement.

**NET WT:  
 4 lbs (1.81 kg)**



**DITRAC®**  
 ALL-WEATHER BLOX™

**KILLS RATS, MICE & MEADOW VOLES\***  
 Mold Resistant • Moisture Resistant  
 PEANUT FLAVORED  
**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

This product may only be used inside and within 100 feet of man-made structures.

See back panel for First Aid, additional precautionary statements, and Directions for Use.  
 ACTIVE INGREDIENT:  
 Diphacinone (CAS #82-69-6).....0.06%  
 OTHER INGREDIENTS.....99.94%  
 TOTAL.....100.00%

\*Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Pocket gopher, Meadow vole, White-footed mouse, Southern plains woodrat, and Mexican woodrat.



Product Code: D1421  
 0620190619

12455-80  
 BACK OF PAIL  
 Printed at 100% size on this 11" x 8.5" sheet  
 Page 2 of 2

<b>FIRST AID</b>
<b>HAVE LABEL WHEN OBTAINING TREATMENT ADVICE</b>
<ul style="list-style-type: none"> <li>• Call a poison control center, doctor, or 1-877-454-2494 immediately for treatment advice.</li> <li>• Have a person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
<p><b>NOTE TO PHYSICIAN</b></p> <p>If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally. Repeats as necessary based on monitoring of prothrombin times.</p>
<p><b>TREATMENT FOR PET POISONING</b></p> <p>If animal eats this bait, call a veterinarian or 1-877-454-2494 at once.</p>
<p><b>NOTE TO VETERINARIAN</b></p> <p><b>Anticoagulant Diphacinone:</b> For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K<sub>1</sub>.</p>

**PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals**

**CAUTION:** Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long pants, shoes, socks, and waterproof gloves. Any person who enters enclosures or unseal bait following application of this product must wear waterproof gloves.

**Use Safety Precautions**

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washable assets, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

This product is toxic to mammals and birds. Dogs and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water or to areas where surface water is present or to terrestrial areas below the green high water mark. Runoff also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

**DIRECTIONS FOR USE**

This is a bait station. Use only for baiting rodents in interior structures with this baiting product. Do not use outdoors. Use only for sites, pests, and application methods described on this label.

**IMPORTANT:** Do not expose children, pet, or other animals to gopher baits. To help prevent exposure:

1. Apply bait to rodent bait stations, not to children, cats, domestic animals and, non-pet, wildlife, or in unsealable bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are filled, units must be secured or otherwise immobilized. Storage bait stations are needed in areas open to holed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
2. Dispose of product container and unseal, soaked, or unconsumed bait as specified on this label.

# DITRAC<sup>®</sup>

ALL-WEATHER BLOX™

**KILLS RATS, MICE & MEADOW VOLES\***

**Mold Resistant • Moisture Resistant**

**PEANUT FLAVORED**

0.05% CARBENAZOLE	TOTAL
99.95% OTHER INGREDIENTS	
100.00%	

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See side panels for First Aid, additional precautionary statements, and Directions for Use.

**DIRECTIONS FOR USE** (Continued from other panel)

Bait stations are mandatory for outdoor, above-ground use. Temporary bait stations must be used whenever children, pets, non-target mammals, or birds may have access to the bait placement location.

**USE RESTRICTIONS:** This product may only be used to control the following rodent pests in and around man-made structures: House mouse (*Mus musculus*), Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), Cotton rat (*Sigmodon hispidus*), Eastern harvest mouse\* (*Reithrodontomys humuli*), Golden mouse\* (*Chonoremys nifidus*), Polynesian rat\* (*Rattus exulans*), Meadow vole\* (*Microtus pennsylvanicus*), White-footed woodrat\* (*Neotoma albigula*), Southern plains woodrat\* (*Neotoma micropus*), and Mexican woodrat\* (*Neotoma mexicana*). \*Not for use against meadow voles. Do not use against meadow voles connected to a sewer or sabbie, or burrows to commercial rodent infestations and/or burrowing or nesting rodent infestations. Examples of such structures include homes and other permanent or temporary residences, food processing facilities, industrial and commercial buildings, trash receptacles, agricultural and public buildings, transport vehicles (trucks, trains, aircraft), docks and port or terminal buildings and related structures around and associated with these sites. Fence and perimeter baiting, beyond 100 feet from a structure as defined above, is prohibited. This product must not be applied directly to food or feed crops.

Burrowing with DITRAC<sup>®</sup> All-Weather Blox<sup>™</sup> is prohibited.

Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USA, respected facilities, this product must be applied in tamper-resistant bait stations. Do not broadcast bait.

Do not seal this product in individual containers holding less than 4 pounds of bait.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats, mice or meadow voles\* will most likely feed and consume the bait. Generally, these areas are along walls, by grouted openings, in corners and under pipes, and in areas where signs of rodent activity or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:**

**Rats:** Apply 1 to 16 one-ounce block bait per placement in infested areas. Space placements at intervals of 15 to 30 feet. Maintain a constant supply of fresh bait for 10 days or until there no longer are signs of new feeding by rats.

When baiting sewers, securely attach one end of wire to each block and the other end to a stationary structure such as the bottom step of a manhole ladder or a sewer grate. Allow just enough wire for the block to rest on manhole benching. If benching is not present, suspend each block a few inches above the high water mark or secure block on board supported by opposing steps of the ladder. Securing blocks in this manner will reduce chances that they will be removed by rats or water. Use 3 to 16 blocks per manhole, depending upon the apparent intensity of infestation. Maintain an uninterrupted supply of fresh bait for at least 10 days or until there are no signs of new feeding by rats.

**Mice and Meadow Voles:** Apply 7 block bait per typical placement in infested areas. Space placements at 8 to 12 feet. The rats may be needed at points or very high activity. Maintain an uninterrupted supply of fresh bait for 15 days or until there are no signs of new feeding by mice or meadow voles.

**Fielding:** Baiting for field or agricultural rodent control should be done in early spring, before crop and property damage begins. Use baiting in late spring or early summer to reduce vole populations. Use baiting in late summer, water, and hedges as much as possible. If reinfestation does occur, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed.

\*Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, and Mexican woodrat.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Keep containers closed and away from other chemicals.

**Pesticide Disposal:** Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

**Container Handling:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**NET WEIGHT:**  
**4 lbs (1.81 kg)**

EPA REG. NO. 12455-80  
 EPA EST. NO. 12455-W-014  
 PESTICIDE REG. 12455-W-014

**MADE IN USA**

